

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	216	(712/223).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 10:32
L2	253	(712/222).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 10:32
L3	149	(712/224).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 12:58
L4	0	(compar\$3) near4 ((four or "4") adj2 (state\$1 or result\$1)) near4 (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:05
L5	0	(compar\$3) near4 ((four or "4") adj2 (state\$1 or result\$1)) with (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:05
L6	0	(compar\$3) near4 ((four or "4") near4 (state\$1 or result\$1)) with (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:17
L7	3	((four or "4") near4 (state\$1 or result\$1)) with (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:12
L8	13	((four or "4") with (state\$1 or result\$1)) with (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:15
L9	33	((four or "4") with (state\$1 or result\$1)) same (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:15
L10	0	(compar\$3) with (((four or "4") near4 (state\$1 or result\$1)) with (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:18
L11	2	(compar\$3) with (((four or "4") with (state\$1 or result\$1)) with (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:18
L12	3	(compar\$3) with (((four or "4") with (state\$1 or result\$1)) same (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:18

L13	3	(compar\$3) same ((four or "4") with (state\$1 or result\$1)) same (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:18
L14	11	(compar\$3) same ((four or "4") same (state\$1 or result\$1)) same (logic near4 tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:20
L15	0	((compar\$3) same ((four or "4") same (state\$1 or result\$1)) same (logic near4 tests)).clm.	US-PGPUB	OR	OFF	2005/12/12 13:20
L16	8	((compar\$3) and ((four or "4") and (state\$1 or result\$1)) and (logic near4 tests)).clm.	US-PGPUB	OR	OFF	2005/12/12 13:20
L17	20	(compar\$3) same ((four or "4") same (state\$1 or result\$1)) same (logic with tests)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/12 13:34
L18	1	((compar\$3) same ((four or "4") same (state\$1 or result\$1)) same (logic with tests)).clm.	US-PGPUB	OR	OFF	2005/12/12 13:37
L19	1	((four or "4") with (state\$1 or result\$1)) same (logic near4 tests)).clm.	US-PGPUB	OR	OFF	2005/12/12 13:38
S1	241	(712/222).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/24 08:46
S2	197	(712/223).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/24 08:46
S3	139	(712/224).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/24 08:46
S4	244	(712/222).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 14:06
S5	207	(712/223).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 14:06
S6	141	(712/224).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 14:19

S7	1	("5939986").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:17
S8	1	("5838986").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:17
S9	44757	(comparison or (logic\$4 near4 test\$3)) near4 (value\$1 or data or result\$1) near4 (state\$1 or set\$5 or value)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:35
S10	19255	(comparison or (logic\$4 near4 test\$3)) near4 (data or result\$1) near4 (state\$1 or set\$5 or value)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:32
S11	14334	(comparison or (logic\$4 near4 test\$3)) near4 (data or result\$1 or value\$1) near4 (state\$1 or set\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:33
S12	3470	(comparison or (logic\$4 near4 test\$3)) near4 (data or result\$1 or value\$1) near4 (state\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:33
S13	3228	(comparison) near4 (data or result\$1 or value\$1) near4 (state\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:33
S14	947	(comparison) near4 (value\$1) near4 (state\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:33
S15	4	(comparison) near4 (value\$1) near4 (state\$1) near4 (multiple or plural or (more adj2 one))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:34
S16	286	(comparison or (logic\$4 near4 test\$3)) near4 (value\$1 or data or result\$1) near4 (state\$1 or set\$5 or value) near4 (multiple or plural or (more adj2 one))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:35
S17	12	((logic\$4 near4 test\$3)) near4 (value\$1 or data or result\$1) near4 (state\$1 or set\$5 or value) near4 (multiple or plural or (more adj2 one))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:37
S18	12	((logic\$4 near4 test\$3) near4 (multiple or plural or (more adj2 one))) near4 (value\$1 or data or result\$1) near4 (state\$1 or set\$5 or value)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/27 15:38



Welcome United States Patent and Trademark Office

[Search Session History](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)
[SUPPORT](#)

Mon, 12 Dec 2005, 1:48:30 PM EST

Edit an existing query or  
compose a new query in the  
Search Query Display.

## Search Query Display




Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

## Recent Search Queries

Results

#1	(((compare <or> comparing <or> compares <or> comparison <or> comparisons) <sentence> ((four <or> 4) <sentence> (result <or> results <or> state <or> states)) <sentence> (logic <sentence> tests))<in>metadata)	(
#2	(((compare <or> comparing <or> compares <or> comparison <or> comparisons) <paragraph> ((four <or> 4) <sentence> (result <or> results <or> state <or> states)) <paragraph> (logic <sentence> tests))<in>metadata)	'
#3	(((compare <or> comparing <or> compares <or> comparison <or> comparisons) <paragraph> ((four <or> 4) <sentence> (result <or> results <or> state <or> states)) <paragraph> (logic <sentence> tests))<in>metadata)	'
#4	(((compare <or> comparing <or> compares <or> comparison <or> comparisons) <paragraph> ((four <or> 4) <sentence> (result <or> results <or> state <or> states)) <paragraph> (logic <sentence> tests))<in>metadata)	'
#5	(((four <or> 4) <sentence> (result <or> results <or> state <or> states)) <paragraph> (logic <sentence> tests))<in>metadata)	81


[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved